

*pragma's*

# product profiles

Issue #42

The free newspaper for Pick™ users.

January 1988

## Do Your Mailing Label Say RENEW?

If your mailing label says RENEW, your subscription is about to expire! To avoid missing your next free issue of *Product Profiles*, renew IMMEDIATELY by filling out and returning the front cover coupon for a free subscription! The last two digits of your mailing label indicate the number of the last issue you'll receive.

**Pragma's Product Profiles**  
is published periodically by  
Semaphore Corporation,  
207 Granada Drive, Aptos, CA 95003,  
(408) 688-9200.

Entire contents copyright © 1988 by  
Semaphore Corporation.  
All rights reserved. No part of this  
publication may be reproduced in any  
form or by any means without prior  
written permission from Semaphore.  
Semaphore offers no warranty, either  
express or implied, for any losses due to  
the use of any material published.

Subscriptions are free, but are available  
only to Pick users with USA mailing  
addresses. Semaphore cannot be  
responsible for lost issues or issues  
returned to us because of address  
changes.

All material received will be considered  
for publication. Semaphore reserves the  
right to edit all submittals.

Pick is a trademark of Pick Systems.  
Semaphore Corp. is not affiliated with  
Pick Systems.

## Pragma's Product Profiles is completely FREE!

Name \_\_\_\_\_  
Company \_\_\_\_\_  
Address \_\_\_\_\_  
City/State \_\_\_\_\_ ZIP \_\_\_\_\_  
Telephone \_\_\_\_\_

I use the Pick operating system and my mailing address is in the USA.  
Please continue sending me *Pragma's Product Profiles* free of charge.

Signature \_\_\_\_\_ Date \_\_\_\_\_

Return this form to:  
Pragma • 207 Granada Drive • Aptos, CA 95003

*Pragma's Product Profiles*  
207 Granada Drive  
Aptos, CA 95003

BULK RATE  
U.S. POSTAGE  
PAID  
APTOS, CA 95003  
Permit No. 67

Address Correction Requested

## Automating the shipping counter

Does your company make a lot of United Parcel or Postal Service shipments? Or use any shipper that publishes big charts for calculating shipping charges? How *are* your shipping clerks computing shipping charges? Are they doing manual table lookups every time they need to know the cost of a shipment?

A surprising number of companies either calculate their shipping charges by hand, or let the shipper compute the charges for them. One technique is slow. Both techniques are unreliable. Without much effort, your computer can be doing the work for you.

Let's use UPS shipping as an example. A ground shipment's cost depends on first knowing the "zone" a package is going to. Destination zones are numbered from 2 to 8, with zone 2 being nearby, and zone 8 further away. To determine the correct destination zone, you look up the destination ZIP code on a UPS "zone chart". Different zone charts are available for the various ZIP codes from which the package might be originating. For example, our ZIP code is 95003,

so we use UPS zone chart 7232, which declares that shipments to nearby ZIP codes like 936XX through 954XX are going to zone 2, while shipments to distant ZIP codes like 400XX through 418XX are going to zone 8.

Once we know the ground shipment's destination zone number and the package's weight, we can look up the cost of the shipment on the UPS cost chart. The cost chart is a large 7 x 70 matrix showing the shipment cost for all possible weights from 1 to 70 pounds and all the seven possible destination zones 2 through 8. The cost table for air shipments also has 70 rows for 1 to 70 pounds, but only 3 zone columns (48 states, Hawaii, Puerto Rico), while the express air table has just 2 columns (49 states, Puerto Rico).

A program to automatically calculate shipping charges should only have to ask for the destination ZIP code and the type of shipment (ground, air, or express), then look up the cost by using the necessary tables.

The zone chart can be represented by a single item consisting of a multivalued list of three-digit ZIP code prefixes, and a multivalued list of corresponding zone numbers. Although UPS charts show the beginning and ending ZIP ranges for a zone, our program will only need the

ZIP that ends a zone. For example,

```
ZONE.CHART
001 374]375]379]381]385]387...
002 8]7]8]7]8]7...
```

is the beginning of the actual zone chart item for our region, showing that destination ZIPs 374XX and below are zone 8, 375XX is zone 7, 376XX through 379XX are zone 8, and so on. It only takes a minute or two to type in the chart, which contains 82 values in each attribute. If you're creating a lot of zone charts for different originating ZIP codes, or if you prefer better input validation, you can create the ZONE.CHART item with a program like

```
MAKE.ZONE.CHART
001 OPEN "MD" ELSE STOP "No MD!"
002 ZONE.CHART = ""
003 LOOP
004 CRT "3-digit prefix":; INPUT ZIP
005 UNTIL ZIP = "" DO
006 IF ZIP MATCHES "3N" THEN
007 LOCATE ZIP IN ZONE.CHART<1>
   BY "AR" SETTING POS THEN
   CRT "Already have it!" ELSE
008 CRT "Zone number":; INPUT ZONE
```

## FREE Back Issues

A few back issues of *Pragma's Product Profiles* are still available while supplies last. To receive your FREE copies, indicate which issues you need and send a stamped, self-addressed envelope with \$2.40 postage to:

**Pragma's Product Profiles**  
207 Granada Dr. • Aptos CA 95003

Issue #24: Beyond Pick, Revisited  
Issue #26: How To Find Wasted Space  
Issue #27: The Myth Of Separation=1  
Issue #28: Does BASIC Beat Access?  
Issue #29: How To Crunch Code  
Issue #35: We Got A Phone Call...  
Issue #36: Writing Your Own Editor  
Issue #37: Techies Talk Tape Transfers  
Issue #39: A Pop-up Calculator  
Issue #40: The Perfect Environment?  
Issue #41: An F-conv input processor

WE SPECIALIZE IN USED

## Microdata Upgrades

CALL 1-800-ME 4-USED

### REALITY

128K MOS MEMORY  
INTELLIGENT 8-WAYS  
128MB REFLEX II  
TAPE DRIVES  
PEP UPGRADES

### SPIRIT M6000-M6600

512K MEMORY  
1MB MEMORY  
75MB DISC DRIVES  
COMPLETE SYSTEMS

### SEQUEL M9000-M9250

1MB MEMORY  
ACLC AND ACLC1  
MTU/PTR CONTROLLERS  
TAPE DRIVES  
EXPANSION CABINETS  
COMPLETE SYSTEMS

**EASTCOMP II INC.**

REALITY, SPIRIT AND SEQUEL ARE TRADEMARKS OF McDONNELL DOUGLAS CORPORATION

Call **CHUCK HAAS**  
For Competitive Prices  
**1-800-634-8733**  
IN OHIO 513-528-5400

## Does Your Mailing Label Say RENEW?

12399/42 **RENEW**  
MARIANNE CHUMASH  
2020 ECLAIR HWY #4040  
APTOS CA 95003

If so, your subscription is about to **EXPIRE!** To avoid missing your next free issue of *Product Profiles*, renew **IMMEDIATELY** by filling out and returning the front cover coupon for a free subscription!

*The last two digits of your mailing label number indicate the number of the last issue you'll receive.*

```

009  ZONE = INT(ZONE)
010  IF (ZONE>=2) AND (ZONE<=8) THEN
011    INS ZIP BEFORE ZONE.CHART<1,POS>
012    INS ZONE BEFORE
      ZONE.CHART<2,POS>
013  END ELSE CRT "Bad zone!"
014  END
015  END ELSE CRT "Bad prefix!"
016  REPEAT
017  WRITE ZONE.CHART ON "ZONE.CHART"
018  STOP
019  END

```

The UPS 7 x 70 cost chart is a bit more of a problem. Having to enter almost 500 miscellaneous cost amounts to create that table is a very unappealing job. Fortunately, a little inspection reveals that there is more or less a pattern to the table's contents. For example, when shipping to zone 2, the cost for packages above 2 pounds in weight goes up by 8¢ for each pound,

except every 4 pounds, when there's a 9¢ increase. After 50 pounds, there's a 2¢ increase per pound. (Except at 59 pounds, which has a 3¢ increase!) That means we can use a program like

```

      MAKE.COST.CHART
001  OPEN "MD" ELSE STOP "No MD!"
002  COST.CHART = "" ; ZONE = 2
003  FOR WEIGHT = 1 TO 70
004    PREV.COST=COST.CHART<ZONE,WEIGHT-1>
005    BEGIN CASE
006    CASE WEIGHT = 1
007    COST.CHART<ZONE,WEIGHT> = 116
008    CASE WEIGHT = 59
009    COST.CHART<ZONE,WEIGHT> = 539
010    CASE WEIGHT > 50
011    COST.CHART<ZONE,WEIGHT> =
      PREV.COST+2
012    CASE MOD(WEIGHT,4) = 1
013    COST.CHART<ZONE,WEIGHT> =
      PREV.COST+9
014    CASE 1

```

```

015  COST.CHART<ZONE,WEIGHT> =
      PREV.COST+8
016  END CASE
017  NEXT WEIGHT
018  COST.CHART<ZONE,1> = 123
019  WRITE COST.CHART ON "COST.CHART"
020  STOP
021  END

```

to automatically generate an item containing all 70 costs for UPS ground zone 2. To find the cost for a given weight from 1 to 70 pounds, just pick the corresponding multivalue from 1 to 70 in the attribute equal to the zone number (2).

Similar effort at analyzing the UPS charts can be made to discover the relationships that generate the remaining costs for zones 3 through 8 in the table, plus the tables for air rates and express air rates. That will be left as an exercise for the reader. However, remember to spend your time wisely. Don't forget that a good typist (or at

# B-TREE-P

## B-trees for Pick systems.

Tired of waiting for your computer to SORT or SELECT your large data files? Need to quickly find any attribute? Want to scroll files up or down, in any sort order? With B-TREE-P you can instantly search, sort, and scroll any data from any file!

Now you can instantly look up customers by name, street, Zip code, or any other field — not just by customer number. Now you can immediately find inventory entries by quantity, cost, or description — not just by part number. Whatever files you use, now you can instantly locate and display your data any way you want, without having to wait for endless SORTs and SELECTs.

Immediately display any record in any file just by typing one or more starting characters that match any field in the record. You can display not only a selected record, but also any previous and next records, using any sort order you specify. You can jump to any record in a file at any time, then browse through the file by scrolling up or down, a record at a time or a page at a time, in any sort order.

As one of Semaphore's programmers says: "We often ask ourselves why we waited so long to create B-TREE-P. After using it for our own production work, we wonder how we ever got by before without it. A Pick computer without B-TREE-P is like a car without wheels".

B-TREE-P is a proven collection of BASIC subprograms for using B-trees on your computer system. B-trees allow any of the data in any of your files to be instantly located and displayed in any sort order, without having to wait for SORT or SELECT commands.

B-TREE-P and a few optional minor modifications to your existing data entry programs are all that is necessary for you to immediately be able to search, browse, display, or print your data quickly and conveniently. Modifications to your existing data files are absolutely unnecessary!

Here are a few of the ways our customers have put B-TREE-P to work:

- Within minutes of loading the B-TREE-P source code, one of our first customers began using B-TREE-P's standard "browser" for searching a 120,000+ record customer master file. Any name, company, or address can immediately be located and displayed, just by typing one or more characters that match the field. No more waiting for SELECTs!

- Another customer has set up B-TREE-P for purchase order inquiries. A file of multivalued line items and submultivalued delivery dates and quantities can instantly be viewed by item or by date. Pages can be scrolled at the terminal, forward or backward. Any range of data can be

instantly printed. No more waiting for SORTs!

- A California county jail uses B-TREE-P for inmate cash accounting. Although cash records are filed by inmate booking numbers, B-TREE-P allows a list alphabetized by the name attribute to be displayed at all times, even as records are created and deleted at other terminals. Any inmate record (or nearest match) can be immediately found and displayed just by typing one or more characters in a name.

- A manufacturer uses B-TREE-P to let marketing personnel instantly display sales orders six different ways: by part, by description, by ship date, by sales rep, by customer name, and by sales territory. With just a few keystrokes, operators can instantly display records under a new sort (subsorts too) or find and output a given item.

B-TREE-P includes all necessary BASIC source code for a B-tree system that works with any file. Included are an insertion subroutine, deletion subroutine, lookup subroutine, previous/next subroutine, and complete instructions. Plus, you receive the source code for a complete demonstration system that uses B-TREE-P to maintain a name and address file, including an editor program for creating and changing name and address records, a browser program for displaying records, and a printer program for listing file items in order without having to wait for a sort.

To order, send your name, address, telephone number, and your check for \$395 (plus tax in California) payable to Semaphore Corp. at 207 Granada Drive, Aptos, CA 95003. Or call us at (408) 688-9200 for more information or to place a COD order. We'll send you complete B-TREE-P source code and all necessary documentation, along with all back issues of our special B-tree newsletter.

B-TREE-P includes a license agreement limiting your use of B-TREE-P to one computer at a time. Multi-CPU and OEM resale agreements are also available. Pick is a trademark of Pick Systems.



least a good keypad operator) can probably enter all 840 values for the three tables in no more than about 20 minutes, with another 20 minutes or so needed for proofing. If you can't quickly come up with the code for automatically generating the tables, you might as well just type them in.

Once you have the COST.CHART item completed (say, with the charges for zones 2 through 8 saved in attributes 2 through 8), it's a relatively simple matter to create a program that computes UPS ground charges:

```

UPS.CHARGES
001 OPEN "MD" ELSE STOP "No MD!"
002 READ ZONE.CHART FROM "ZONE.CHART" ELSE STOP "No zones!"
003 READ COST.CHART FROM "COST.CHART" ELSE STOP "No costs!"
004 LOOP
005 CRT "To what ZIP code": ; INPUT ZIP
006 UNTIL ZIP = "" DO
007 IF ZIP MATCHES "5N" THEN

```

```

008 ZIP = ZIP[1,3]
009 POS = 1
010 LOOP
011 ZONE.ZIP = ZONE.CHART<1,POS>
012 WHILE (ZONE.ZIP < ZIP) AND (ZONE.ZIP # "") DO
013   POS = POS+1
014 REPEAT
015   ZONE = ZONE.CHART<2,POS>
016   IF ZONE # "" THEN
017     CRT "Total pounds": ; INPUT LBS
018     LBS = INT(LBS)
019     IF (1<=LBS) AND (LBS<=70) THEN
020       COST = COST.CHART<ZONE,LBS>
021       CRT LBS:" lbs. to ":ZONE:" is ":
022       CRT OCONV(COST,"MD2$")
023       END ELSE CRT "Bad weight!"
024       END ELSE CRT "Can't find zone!"
025       END ELSE CRT "Bad ZIP code!"
026 REPEAT
027 STOP
028 END

```

For a more finished package, you can add capabilities to handle air and express air tables, C.O.D. charges, Alaska shipments, and so on.

## COMPUTER CABLING PROBLEMS Let BASELINE SERVICES help!

We can install cables or provide you with pre-made cables. We also sell all the cabling hardware you need to do the job yourself (cable, pins & DB's).

Call or write TODAY for our free catalog.

(916) 756-7024 1209 Alice St.  
(714) 859-1332 Davis, CA 95616

## This month's mailbag

### Editing gains, printing pains

In June, you published an article and source code for a screen editor. It took me a few months to get interested in keying it in, but once I did, I proceeded to modify it to operate on my AT version of Pick. I spent several

# Why is using B-TREE-P better than using inverted files?

B-TREE-P can do many things that inverted files can't.

First, inverted files breakdown if the inverted list of identifiers grows beyond the Pick item limit of 32K, and can require slow sequential searches of those large items. B-TREE-P file items always stay very small and never run into any Pick size limitations.

Second, inverted files can only find actual keys known to already exist in the data. If you try to look up ZIP code 95003, and it's not in the file, an inverted file can do nothing more. But B-TREE-P can tell you the next closest match, such as ZIP 95005, and even identify any size "neighborhood" of adjacent records before and after the match.

Third, inverted files only allow searches for a complete key. With B-TREE-P, you can search for the name JOHNSON, or just JOH, or just the letter J, or as many characters as you want, and B-TREE-P will immediately find the closest match. If an inverted file tries to store all those substrings, it requires enormous amounts of disk space.

Fourth, inverted files cannot step sequentially through the index file. With B-TREE-P, you can start at any key, then step sequentially through all preceding or following keys.

Fifth, inverted files only allow searches for a primary key. With B-TREE-P, you not only can immediately retrieve the list of items all having ZIP 10020, you can also immediately find the one item with ZIP 10020 and an address of 207 BROADWAY.

Sixth, software for inverted files is tied closely to the data being indexed, and must often be modified if a new type of data file or field is to be indexed. But B-TREE-P "building block" routines never have to be modified, regardless of the application or type of indexing.

B-TREE-P is much more efficient, flexible, and user-friendly than inverted files.

For more information about B-TREE-P or to place an order, write Semaphore Corporation at 207 Granada Drive, Aptos, CA 95003, or call (408) 688-9200.

# Questions Most Frequently Asked About STRIDE/Z

## 1. What is STRIDE/Z?

STRIDE/Z is an integrated package of manufacturing software for General Automation Zebra computers using the Pick operating system. STRIDE/Z is a product of Semaphore Corporation.

## 2. What software is included in the STRIDE/Z package?

STRIDE/Z includes 18 modules to automate every aspect of a manufacturing company: accounts payable, accounts receivable, cost accounting, customer service, engineering, fixed assets, general ledger, inspection, order entry, payroll, personnel, production control, programming, purchasing, receiving, shipping, shop floor, and stock room. The production control module includes regenerative Materials Requirement Planning.

STRIDE/Z consists of approximately 200 programs, 350 procs, 80 formatted screens, 655K bytes of online user documentation, and 225K bytes of online programmer cross reference documentation. The approximately 100 files in STRIDE/Z require 2.5 million bytes of disk space for installation. STRIDE/Z uses no assembler code.

## 3. Why is STRIDE/Z better than other manufacturing packages?

STRIDE/Z works. It was developed from scratch over a two year period at an actual electronics manufacturer, as sales climbed from \$10 million to over \$20 million.

STRIDE/Z has a clean, modular, well-structured, and conceptually integrated design. All design and implementation work was the effort of an individual programmer. Unlike other large software products, STRIDE/Z is not a collection of ad hoc patches and multiple programming styles.

STRIDE/Z simultaneously and correctly updates multiple files as soon as transactions are entered, in order to provide a database that is always up to date, and to avoid unfriendly batch-style processing.

STRIDE/Z is well-documented, especially for the programmer. Extensive cross-references carefully document all program, proc, and data

interdependencies, so that modifications are easy and predictable.

And STRIDE/Z is inexpensive.

## 4. How can I find out more about STRIDE/Z?

Call or write Semaphore Corporation,  
207 Granada Dr., Aptos, CA 95003,  
(408) 688-9200.



## The Pick Mailing List CREAM of the CROP

The 3,000 most responsive Pick users' names and addresses. Only \$150 plus tax for one-up adhesive labels, sorted, printed, and delivered. Send no payment without first obtaining our order form and one-time use agreement.

P/Mail by Marianne • 1893 Nadina St. • Seaside CA 93955

## Semaphore Corporation welcomes its newest B-TREE-P customers:


PEC Vectron  
Columbia County  
Industrial Indemnity

more weeks (part time) to enhance the screen editor with most of the suggestions you had, and added features like those in my favorite word processor that runs on my TRS-80 Model 4. The finished product certainly enhances my ability to be more productive with Pick.

In your November issue, Wes Martin of La Jolla asked if there was any way to stop the form feed at the beginning of every printout. Your response to use the S option with STARTPTR will only work with serial printers. If Mr. Martin has a parallel printer like I do, then there is no current way to eliminate the initial form feed when data is printed by Access. I have had some conversations with Pick Systems about this irritation and will forward a copy of Mr. Martin's comment to them. It is a real pain to waste a single sheet of paper when printing small reports. It is for that same reason that all three of the parallel printers I own have push instead of pull tractors.

Wesley S. Kar  
Phoenix, AZ

Send us your enhanced editor, and  
we'll publish it. — Editors



## Unlock the Secrets in Your Computer!

**Pragma** (not to be confused with *Pragma's Product Profiles*) is the original 48-page technical journal for Pick users published quarterly beginning in August 1982. Each issue is packed with software and helpful information, including complete and debugged program listings and detailed, explanatory articles for readers at all levels of experience. Order your **Pragma** issues today and begin unlocking the secrets in your Pick system!

Send \$25 for each 48-page back issue to:  
**Pragma, 207 Granada Dr., Aptos, CA 95003**

**Pragma #1:** Welcome to Pragma • ZIP Code File Design • A Program for Renumbering Statement Labels • Deriving Year-to-Date Counts • VANILLA, The No-Frills Manufacturing System: The Parts File • Moletron User Profile • More Memory, Fewer Reads • SYMAP: A Cross-Reference System • How to Flag Missing Checks • 23 Wish List Items • Computing Modules with ENGLISH • Building ENGLISH Headings with Proc • 4 Queries • Making Item Identifiers Hash Well • Tape Handling • Patching the Exit Problem in 3.2 SCREENPRO • The Shell Game.

**ISSUE #1  
IS A  
REPRINT**

**Pragma #2:** We Have Liftoff • A Modulo Setting Program • Black Box Formatting • TRIM.DELIM and PROFILE Utilities • SYMAP, A Cross-Reference System: File Format Input • Galinski Hamburg User Profile • LOOP vs. LOCATE Benchmarks • 25 Wish List Items • An Introduction to ENGLISH: Jargon • Proc Conversions • VANILLA, The No-Frills Manufacturing System: Bill of Material Input • 14 Queries • The Trouble Tree • 2 Letters • A Switchbox for 32 Ports • Security and the DATA/BASIC Programmer • The Cookie Game • Some New Subscribers.

**Pragma #3:** Is Pragma a Rare Medium, Well Done? • Edit Aides • A Proc for Cross-Referencing Q-Pointers • SYMAP, A Cross-Reference System: Remaining File Input • Rainbow Natural Foods User Profile • More BASIC Benchmark Comparisons • Justifying Ragged Output • 13 Wish List Items • Generating Monthly Column Headings • VANILLA, The No-Frills Manufacturing System: Purchasing • 5 Queries • An Introduction to ENGLISH: More Commands • Shared Site Checklist • Converting Paint to Programs • 3 Letters • Generating Blank Forms • Animal, A Game That Learns • More New Subscribers.


**Pragma #4:** Survey Says... • Pacific Valley Bank User Profile • SYMAP, A Cross-Reference System: Dicts and Procs • Uncompiling: Unassembling Stack Code • Left vs. Right Justification Benchmarks • 4 Wish List Items • A Comparison of BASIC Implementations • More New Subscribers • An Undocumented Editor Capability • 3 Local User Group Reports • Avoiding Saved Lists with PQ-RESELECT • Self-Documenting Reports • A Query • A Survey of Hardware that Supports Pick-Style Software • Printer Trade-Offs • An Introduction to ENGLISH: Finding Files • A Letter • VANILLA, The No-Frills Manufacturing System: Purchase Order Entry • The Swat! Game.

**Pragma #5:** Happy Birthday! • Interactive Systems Producer Profile • Uncompiling: Regenerating Source Code • A Day of Revelation • IBM Personal Computer vs. Microdata Reality Benchmarks • VANILLA, The No-Frills Manufacturing System: Receiving • 3 Wish List Items • An Introduction to ENGLISH: Being Choosy • Converting Manual Paint to Programs • 6 Local User Group Reports • More New Subscribers • A Program That Reports File Pointer Locations • Boiler Plate Processing with Runoff • A New Query and an Old Query Answered • SYMAP, A Cross-Reference System: Automation • Tape Types • 6 Letters • Permuted Index to the First 4 Issues of Pragma • Amazing, a Maze Game.


**Pragma #6:** Pick Pie Pictured • The Ubiquitous POINTER-FILE • Uncompiling: Resolving Labels • An Introduction to ENGLISH: Syntax Overview • AccuSoft Producer Profile • Rounding Out 7 Benchmarks On 5 Machines • Designing Data Entry Programs • 12 Wish List Items • GET: An Input Processor • 5 Local User Group Reports • More New Subscribers • Do You Know Your Proc Limits? • VANILLA, The No-Frills Manufacturing System: Inspection • 2 Queries • Individual Accounts or Shared Accounts? • Lock Logic Illustrated • Password Protection • Two Undocumented Conversions • A Letter • How AMAZING Works.

**Pragma #7:** More New Subscribers • A New Machine Visits Pragma • Bantam Hardware Overview • Suppressing LOCKED Clauses • An Introduction to ENGLISH: WITH, BY and TOTAL • Bantam Producer Profile • VANILLA, The No-Frills Manufacturing System: Disposition • A Bantam Diary • New Benchmark Timings for 8 More Machines • 6 Local User Group Reports • GET: Source Code • A Preprocessor for Symbolic Statement Labels • 2 Wish List Items • 3 Queries • Bantam Software Overview • A Letter • The Slide Game.


# Four programs for connecting your Macs to a Zebra.




You can use FreeTerm: a simple text-only software emulator that turns your Mac into an ASCII terminal. There's no cursor control, but it does support X-on/X-off, and it's in the public domain.



Or you can use Red Ryder: a former try-before-you-buy "shareware" product, this software is now a commercial offering. It supports lots of protocols, but still doesn't do much more than let your Mac input and display text.



Or you can use MacTerminal: developed by Apple, this software turns your Mac into a complete (but slow) VT100 terminal. Still, it's only text-based, and all the power of your Mac goes wasted.



Or you can use Telefolders: sophisticated software that lets you tie your Zebra and Macs together, without losing the point-and-click power of the Macintosh interface. Mac files saved on the Zebra appear as standard icons, folders, and windows. To copy any Mac-style program, data, or document from the Zebra to your Macintosh, just click on the icon you want and select "Receive" from the Mac's pull-down menu. Each Mac also has access to its own private folder, for sending and receiving electronic mail via the Zebra.

Telefolders host software for the Zebra is \$995. A starter kit of Telefolders software for the Macintosh is \$49.95, and includes four free hours of access to Semaphore's own Zebra host, which features a large collection of Macintosh public domain software.

To order, or to receive more information, contact Semaphore Corporation, 207 Granada Drive, Aptos, CA 95003, (408) 688-9200.



# New B-TREE-P installations are sprouting up every day!



*B-TREE-P is software that allows your data to be instantly located and output, without having to wait for lengthy file sorts or searches. Join the growing number of sites discovering the power and flexibility of B-TREE-P. Write or call Semaphore Corp., 207 Granada Drive, Aptos, CA 95003, (408) 688-9200.*

Advanced Technology Labs. • Arrowhead Water Co. • Mathis & Assoc. Inc. • Tricor America Inc. • Systems House Inc. • Vancouver Sanitary Service • Bottom Line Software Inc. • Brown & Caldwell Labs • Colonial Pacific Leasing • Marion County Republicans • Augmented Computer Technology • Premisys • Kripalu Center • Rollings Homes Inc. • Computerized Data • Ultimate Corp. • Elliott-Pope School • Toyota of Irving • Victory Express Inc. • Compu Components • Monterey County • Butterfields • Electronic Business • Kreepy Krauly USA • Tennessee Mat Co. • Zircon Co. Inc. • Smithsonian Institution • Call U.S. Inc. • Meditech • Unison Technologies Inc. • Wavetek • Moore Industries • Systems Support Services • Aerojet General • Target Supply • Lilyblad Petroleum • Partners National Health Plans • M. Epstein Inc. • Vitek Systems Inc. • J & L Industrial Supply Co. Inc. • Century Publishing Co. • Northwest Agricultural Coop Assoc. • Tampa Bay Mgmt. Services Inc. • Spectradyne Inc. • Crosstern Corp. • Magic Chef Air Conditioning Co. • Educators Mutual Insurance • Samuelson Assoc. Co. • Anthony Pools • Brooks Equipment Co. Inc. • Associated Students UCLA • Laub Group Inc. • United Collection Bureau Inc. • Pactel Paging • Access Software Inc. • Bronson & Bratton Inc. • ACS Systems Inc. • Topsy's International Inc. • Opportunities Unlimited • Glastron-Conroy Ltd. • XScribe Corp. • Minnesota Trade Office • Berelson Co. • San Mateo County • Creative Computer Services • Livermore Police Dept. • Hubert Distributing Co. • Reinsurance Assoc. • Oman Publishing • Capital Software Ltd. • Martin Cadillac Co. Inc. • NORPAC • AIPAC • Medical Accounting Systems • Sierra Software Inc. • May Trucking • Shoob Photography • Specialty Underwriters Inc. • Specs Music • ADDS Inc. • Excalibur Computer Systems Inc. • City of Irvine • Cornell University • Office Works • Assertive Systems • Conston Inc. • Wofford College • Chicago Kenworth • Eye Care & Surgery Center • Chandler Lumber Co. • Mark Card • Penn Independent Assoc. Inc. • Condominium Insurance • John Klein & Assoc. Inc. • Cooke Data Systems Inc. • Infocel • Multisystems Inc. • Generation Research • Miami Trading Enterprises • System Works Inc. • Flynt Systems Corp. • Life & Health Insurance Co. of America • Information Technology Consultants • Tel-A-Train Inc. • Data Operating Systems Inc. • Computyme • Stewart Co. • Trudell Trailer Sales Inc. • NCAR • Jet Electronics & Technology Inc. • Distributed Logic Corp. • University of California • Casualty Underwriters Inc. • Halprin Supply Co. • Long Beach Community Services.